

# **Pregnancy Intentions File 2013- 2023**

## **Codebook**

**Number of Variables**

46

# Pregnancy Intentions File 2013-2023

## PGINT1 "RELEASE NUMBER"

NUM(1.0)

Release Number

| Count | %      | Value/Range | Code Value/Range Text      |
|-------|--------|-------------|----------------------------|
| 9,164 | 100.00 | 1           | Release number 1, May 2025 |

## PGINT2 "1968 INTERVIEW NUMBER"

NUM(4.0)

1968 Interview Number (1968 ID Number)

*This variable is the 1968 family ID number. The combination of this variable and Person Number (PGINT3) provides unique identification for each individual on the data file. This variable corresponds to ER30001 on the Cross Year Individual File.*

| Count | %     | Value/Range   | Code Value/Range Text   |
|-------|-------|---------------|---|
| 4,788 | 52.25 | 1 - 2,930     | Member of, or moved into, a family from the 1968 SRC cross-section sample   |
| 693   | 7.56  | 3,001 - 3,511 | Member of, or moved into, a family from the Immigrant sample added in 1997 and 1999. Values of 3001-3441 indicate families first interviewed in 1997; values of 3442-3511 indicate families not interviewed until 1999. |
| 469   | 5.12  | 4,001 - 4,851 | Member of, or moved into, a family from the Immigrant sample added in 2017.   |
| 3,214 | 35.07 | 5,001 - 6,872 | Member of, or moved into, a family from the 1968 Census sample  |

## PGINT3 "PERSON NUMBER 68"

NUM(3.0)

Person Number

*This variable is the Person Number. The combination of this variable and 1968 Interview Number (PGINT2) provides unique identification for each individual on the data file. This variable corresponds to ER30002 on the Cross Year Individual File.*

| Count | %      | Value/Range | Code Value/Range Text |
|-------|--------|-------------|-----------------------|
| 9,164 | 100.00 | 1 - 399     | Person Number         |

## PGINT4 "YEAR OF PREGNANCY INTENTION REPORT"

NUM(4.0)

Year of this report

*In combination with 68 Family Identification Number (PGINT2) and Person Number (PGINT3), year of the report (PGINT4) provides the primary key for the Pregnancy Intentions File. An individual may have more than one record on this file but only one per a given wave.*

| Count | %    | Value/Range | Code Value/Range Text    |
|-------|------|-------------|--------------------------|
| 747   | 8.15 | 2,013       | This report is from 2013 |
| 724   | 7.90 | 2,015       | This report is from 2015 |
| 774   | 8.45 | 2,017       | This report is from 2017 |
| 662   | 7.22 | 2,019       | This report is from 2019 |
| 618   | 6.74 | 2,021       | This report is from 2021 |

**Pregnancy Intentions File 2013-2023**

5,639 61.53 2,023 This report is from 2023

**PGINT5 "WTR REPORTER IS MALE OR FEMALE" NUM(1.0)**

Whether the reporter is the male or female.

| Count | %     | Value/Range | Code Value/Range Text    |
|-------|-------|-------------|--------------------------|
| 4,088 | 44.61 | 1           | Respondent is the male   |
| 5,076 | 55.39 | 2           | Respondent is the female |

**PGINT6 "OS64CKPT WTR R NEWBRN PARNT; RP/SP 15-44" NUM(1.0)**

Whether the reporter is the parent of any newborn for this Family Unit or if any reference person or a spouse between 15-44 years old

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 4,102 | 44.76 | 1           | Reporter is parent of a newborn   |
| 5,062 | 55.24 | 2           | Reporter is reference person or spouse and is eligible to be asked the birth history section (is 15-44 years old if Female), is not a parent of a newborn, and the year of the report is from 2023 or later |

**PGINT7 "OS64 WTR R WANTS ANOTHER CHILD" NUM(1.0)**

OS64. Looking to the future, do you yourself want another (baby/child) at some time in the future?

IF needed: Other than your children already born.

| Count | %     | Value/Range | Code Value/Range Text                    |
|-------|-------|-------------|--|
| 3,586 | 39.13 | 1           | Yes                                      |
| 4,701 | 51.30 | 5           | No                                       |
| 608   | 6.63  | 7           | Unable to have children or more children |
| 129   | 1.41  | 8           | Don't know                               |
| 140   | 1.53  | 9           | NA; refused                              |

**PGINT8 "OS65 WTR R WANTS/NOT WANT ANOTHER CHLD" NUM(1.0)**

OS65. Do you think you probably want or probably do not want to have another (baby/child) at some time in the future?

If R insists: Don't know/not sure

| Count | %     | Value/Range | Code Value/Range Text                       |
|-------|-------|-------------|---|
| 65    | .71   | 1           | Probably want                               |
| 47    | .51   | 2           | Probably do not want                        |
| 41    | .45   | 8           | Don't know                                  |
| 116   | 1.27  | 9           | NA; refused                                 |
| 8,895 | 97.06 | 0           | Inap.: OS64 was response (PGINT7 ne 8 or 9) |

**Pregnancy Intentions File 2013-2023**

**PGINT9 "OS66CKPT WTR CURRENT PARTNER"**

**NUM(1.0)**

Whether the respondent has a current spouse/partner/boyfriend/girlfriend in the Family Unit

*Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.*

| Count | %     | Value/Range | Code | Value/Range                    | Text                                   |
|-------|-------|-------------|------|--------------------------------|--|
| 5,258 | 57.38 |             | 1    | Current spouse/                | partner/girlfriend/boyfriend in the FU |
| 3,906 | 42.62 |             | 5    | No spouse or partner in the FU |  |

**PGINT10 "OS66 WTR PARTNER WANTS ANOTHER CHLD"**

**NUM(1.0)**

OS66. Looking to the future, does [R's Spouse/Partner/Boyfriend/Girlfriend] want a (child/baby) or another (child/baby) at some time?

Would you say definitely yes, probably yes, probably no or definitely no?

*Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.*

| Count | %     | Value/Range | Code | Value/Range                                      | Text |
|-------|-------|-------------|------|--|------|
| 1,517 | 16.55 |             | 1    | Definitely yes                                   |      |
| 785   | 8.57  |             | 2    | Probably yes                                     |      |
| 728   | 7.94  |             | 3    | Probably no                                      |      |
| 2,101 | 22.93 |             | 4    | Definitely no                                    |      |
| 43    | .47   |             | 8    | Don't know                                       |      |
| 87    | .95   |             | 9    | NA; refused                                      |      |
| 3,903 | 42.59 |             | 0    | Inap.: No spouse or partner in the FU (PGINT9=5) |      |

**PGINT11 "OS70 HOW MANY MORE CHILDREN INTENDED"**

**NUM(2.0)**

OS70. Altogether, how many more (babies/children) do you (and CURRENT SPOUSE/PARTNER/BOYFRIEND/GIRLFRIEND) intend to have?

*Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.*

*For waves 2013-2015 OS70 was asked of everyone, as of 2017 forward this question is not asked for those who do not want or cannot have more children.*

| Count | %     | Value/Range | Code | Value/Range                       | Text |
|-------|-------|-------------|------|-----------------------------------|------|
| 3,837 | 41.87 | 1 - 15      |      | Number of children intended       |      |
| 4     | .04   |             | 16   | Sixteen or more children intended |      |
| 1,174 | 12.81 |             | 95   | None                              |      |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| 96    | 1.05  | 98 | Don't know  |
| 172   | 1.88  | 99 | NA; refused   |
| 3,881 | 42.35 | 0  | Inap.: Respondent and/or Spouse/Partner does not want or cannot have more children (PGINT7=5,7) or (PGINT9=1 and PGINT10=4) |

## PGINT12 "OS70A WTR CONTRACEPTION LAST 3 MOS" NUM(1.0)

OS70A. Have you used any method of contraception in the last three months?

| Count | %     | Value/Range | Code Value/Range Text                                   |
|-------|-------|-------------|---|
| 2,044 | 22.30 | 1           | Yes   |
| 3,484 | 38.02 | 5           | No  |
| 5     | .05   | 8           | Don't know  |
| 106   | 1.16  | 9           | NA; refused   |
| 3,525 | 38.47 | 0           | Inap.: the year of the report (PGINT4) is prior to 2023 |

## PGINT13 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN1" NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--FIRST MENTION

| Count | %    | Value/Range | Code Value/Range Text  |
|-------|------|-------------|--|
| 521   | 5.69 | 1           | Condom or female condom  |
| 99    | 1.08 | 2           | Withdrawal (pulling out)                                       |
| 7     | .08  | 3           | Fertility awareness based methods (Rhythm)                     |
| 3     | .03  | 4           | Spermicide (foam, gel, jelly, cream, sponge, or suppositories) |
| -     | -    | 5           | Diaphragm (with or without gel)                                |
| 365   | 3.98 | 6           | IUD (intrauterine device)                                      |
| 4     | .04  | 7           | Emergency contraception (Morning after pill, Plan B)           |
| 302   | 3.30 | 8           | Birth control pills  |
| 50    | .55  | 9           | Depo-Provera or injectables                                    |
| 78    | .85  | 10          | Norplant or implant  |
| 25    | .27  | 11          | Patch (Ortho Evra) or ring (Nuvaring)                          |
| -     | -    | 12          | Cap (Femcap) or shield (Lea's shield)                          |
| 259   | 2.83 | 13          | Vasectomy  |
| 257   | 2.80 | 14          | Tubal ligation   |
| 4     | .04  | 15          | Other  |
| 25    | .27  | 97          | None   |
| 8     | .09  | 98          | DK   |
| 38    | .41  | 99          | NA; refused  |

# Pregnancy Intentions File 2013-2023

7,119 77.68 0 Inap.: has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF; whether has used any method of contraception in the last three months (PGINT12=8 or 9); the year of the report (PGINT4) is prior to 2023

## PGINT14 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN2"

NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--SECOND MENTION

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 30    | .33   | 1           | Condom or female condom   |
| 118   | 1.29  | 2           | Withdrawal (pulling out)  |
| 13    | .14   | 3           | Fertility awareness based methods (Rhythm)  |
| 3     | .03   | 4           | Spermicide (foam, gel, jelly, cream, sponge, or suppositories)  |
| -     | -     | 5           | Diaphragm (with or without gel)   |
| 35    | .38   | 6           | IUD (intrauterine device)   |
| 15    | .16   | 7           | Emergency contraception (Morning after pill, Plan B)  |
| 69    | .75   | 8           | Birth control pills   |
| 9     | .10   | 9           | Depo-Provera or injectables   |
| 5     | .05   | 10          | Norplant or implant   |
| 8     | .09   | 11          | Patch (Ortho Evra) or ring (Nuvaring)   |
| -     | -     | 12          | Cap (Femcap) or shield (Lea's shield)   |
| 24    | .26   | 13          | Vasectomy   |
| 18    | .20   | 14          | Tubal ligation  |
| 1     | .01   | 15          | Other   |
| 8,816 | 96.20 | 0           | Inap.: no second mention; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023 |

## PGINT15 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN3"

NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--THIRD MENTION

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|--|
| 3     | .03 | 1           | Condom or female condom  |
| 6     | .07 | 2           | Withdrawal (pulling out)                                       |
| 13    | .14 | 3           | Fertility awareness based methods (Rhythm)                     |
| 3     | .03 | 4           | Spermicide (foam, gel, jelly, cream, sponge, or suppositories) |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| -     | -     | 5  | Diaphragm (with or without gel)   |
| 5     | .05   | 6  | IUD (intrauterine device)   |
| 14    | .15   | 7  | Emergency contraception (Morning after pill, Plan B)  |
| 28    | .31   | 8  | Birth control pills   |
| 2     | .02   | 9  | Depo-Provera or injectables   |
| 1     | .01   | 10 | Norplant or implant   |
| 1     | .01   | 11 | Patch (Ortho Evra) or ring (Nuvaring)   |
| -     | -     | 12 | Cap (Femcap) or shield (Lea's shield)   |
| 4     | .04   | 13 | Vasectomy   |
| 1     | .01   | 14 | Tubal ligation  |
| -     | -     | 15 | Other   |
| 9,083 | 99.12 | 0  | Inap.: fewer than three mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023 |

## PGINT16 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN4"

NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--FOURTH MENTION

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|--|
| 1     | .01 | 1           | Condom or female condom  |
| -     | -   | 2           | Withdrawal (pulling out)                                       |
| -     | -   | 3           | Fertility awareness based methods (Rhythm)                     |
| 3     | .03 | 4           | Spermicide (foam, gel, jelly, cream, sponge, or suppositories) |
| -     | -   | 5           | Diaphragm (with or without gel)                                |
| -     | -   | 6           | IUD (intrauterine device)                                      |
| 4     | .04 | 7           | Emergency contraception (Morning after pill, Plan B)           |
| 4     | .04 | 8           | Birth control pills  |
| -     | -   | 9           | Depo-Provera or injectables                                    |
| -     | -   | 10          | Norplant or implant  |
| 2     | .02 | 11          | Patch (Ortho Evra) or ring (Nuvaring)                          |
| -     | -   | 12          | Cap (Femcap) or shield (Lea's shield)                          |
| -     | -   | 13          | Vasectomy  |
| -     | -   | 14          | Tubal ligation   |
| -     | -   | 15          | Other  |

# Pregnancy Intentions File 2013-2023

9,150 99.85

0 Inap.: fewer than four mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023

## PGINT17 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN5"

NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--FIFTH MENTION

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|--|
| -     | -   | 1           | Condom or female condom  |
| -     | -   | 2           | Withdrawal (pulling out)                                       |
| -     | -   | 3           | Fertility awareness based methods (Rhythm)                     |
| 1     | .01 | 4           | Spermicide (foam, gel, jelly, cream, sponge, or suppositories) |
| -     | -   | 5           | Diaphragm (with or without gel)                                |
| -     | -   | 6           | IUD (intrauterine device)                                      |
| 2     | .02 | 7           | Emergency contraception (Morning after pill, Plan B)           |
| 1     | .01 | 8           | Birth control pills  |
| 1     | .01 | 9           | Depo-Provera or injectables                                    |
| -     | -   | 10          | Norplant or implant  |
| -     | -   | 11          | Patch (Ortho Evra) or ring (Nuvaring)                          |
| -     | -   | 12          | Cap (Femcap) or shield (Lea's shield)                          |
| -     | -   | 13          | Vasectomy  |
| -     | -   | 14          | Tubal ligation   |
| -     | -   | 15          | Other  |

9,159 99.95

0 Inap.: fewer than five mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023

## PGINT18 "OS70C1 AGE YOU/PARTNER HAD VASECTOMY"

NUM(3.0)

OS70C1. How old [FEMALE: was your partner / MALE: were you] when [FEMALE: your partner / MALE: you] had a vasectomy?

| Count | %   | Value/Range | Code Value/Range Text |
|-------|-----|-------------|-----------------------|
| 30    | .33 | 15 - 120    | Age at vasectomy      |
| -     | -   | 998         | DK                    |



# Pregnancy Intentions File 2013-2023

|       |       |     |  |
|-------|-------|-----|--|
| 165   | 1.80  | 999 | NA; refused  |
| 8,969 | 97.87 | 0   | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a vasectomy (PGINT13-PGINT17 ne 13); the year of the report (PGINT4) is prior to 2023 |

## PGINT19 "OS70C1 MO OF VASECTOMY"

NUM(2.0)

OS70C1. In what month did [FEMALE: your partner / MALE: you] have a vasectomy?

| Count | %     | Value/Range | Code Value/Range Text  |
|-------|-------|-------------|--|
| 3     | .03   | 1           | January  |
| 4     | .04   | 2           | February   |
| 9     | .10   | 3           | March  |
| 7     | .08   | 4           | April  |
| 3     | .03   | 5           | May  |
| 6     | .07   | 6           | June   |
| 4     | .04   | 7           | July   |
| 8     | .09   | 8           | August   |
| 5     | .05   | 9           | September  |
| 8     | .09   | 10          | October  |
| 8     | .09   | 11          | November   |
| 6     | .07   | 12          | December   |
| 4     | .04   | 21          | Winter   |
| 4     | .04   | 22          | Spring   |
| 2     | .02   | 23          | Summer   |
| 3     | .03   | 24          | Fall; Autumn   |
| 1     | .01   | 98          | DK   |
| 178   | 1.94  | 99          | NA; refused  |
| 8,901 | 97.13 | 0           | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a vasectomy (PGINT13-PGINT17 ne 13); the year of the report (PGINT4) is prior to 2023 |

## PGINT20 "OS70C1 YR OF VASECTOMY"

NUM(4.0)

OS70C1. In what year did [FEMALE: your partner / MALE: you] have a vasectomy?

| Count | %   | Value/Range   | Code Value/Range Text |
|-------|-----|---------------|-----------------------|
| 84    | .92 | 1,901 - 2,023 | Actual year           |
| -     | -   | 9,998         | DK                    |

**Pregnancy Intentions File 2013-2023**

|       |       |       |  |
|-------|-------|-------|--|
| 179   | 1.95  | 9,999 | NA; refused  |
| 8,901 | 97.13 | 0     | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a vasectomy (PGINT13-PGINT17 ne 13); the year of the report (PGINT4) is prior to 2023 |

**PGINT21 "OS70C2 AGE AT TUBAL LIGATION"**

**NUM(3.0)**

OS70C2. How old [FEMALE: were you / MALE: your partner] when [FEMALE: you / MALE: your partner] had a tubal ligation?

| <u>Count</u> | <u>%</u> | <u>Value/Range</u> | <u>Code</u> <u>Value/Range</u> <u>Text</u>  |
|--------------|----------|--------------------|---|
| 13           | .14      | 15 - 120           | Age at tubal ligation   |
| -            | -        | 998                | DK  |
| 194          | 2.12     | 999                | NA; refused   |
| 8,957        | 97.74    | 0                  | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023 |

**PGINT22 "OS70C2 MO OF TUBAL LIGATION"**

**NUM(2.0)**

OS70C2. In what month did [FEMALE: you / MALE: your partner] have a tubal ligation?

| <u>Count</u> | <u>%</u> | <u>Value/Range</u> | <u>Code</u> <u>Value/Range</u> <u>Text</u> |
|--------------|----------|--------------------|--|
| 2            | .02      | 1                  | January                                    |
| 3            | .03      | 2                  | February                                   |
| 5            | .05      | 3                  | March                                      |
| 3            | .03      | 4                  | April                                      |
| 4            | .04      | 5                  | May  |
| 4            | .04      | 6                  | June                                       |
| 8            | .09      | 7                  | July                                       |
| 5            | .05      | 8                  | August                                     |
| 7            | .08      | 9                  | September                                  |
| 11           | .12      | 10                 | October                                    |
| 4            | .04      | 11                 | November                                   |
| 2            | .02      | 12                 | December                                   |
| -            | -        | 21                 | Winter                                     |
| -            | -        | 22                 | Spring                                     |
| 1            | .01      | 23                 | Summer                                     |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| -     | -     | 24 | Fall; Autumn  |
| -     | -     | 98 | DK  |
| 197   | 2.15  | 99 | NA; refused   |
| 8,908 | 97.21 | 0  | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023 |

## PGINT23 "OS70C2 YR OF TUBAL LIGATION"

NUM(4.0)

OS70C2. In what year did [FEMALE: you / MALE: your partner] have a tubal ligation?

| Count | %     | Value/Range   | Code  | Value/Range | Text        |
|-------|-------|---------------|---|-------------|-------------|
| 59    | .64   | 1,901 - 2,023 |   |             | Actual year |
| -     | -     | 9,998         | DK  |             |             |
| 197   | 2.15  | 9,999         | NA; refused   |             |             |
| 8,908 | 97.21 | 0             | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023 |             |             |

## PGINT24 "OS70D AGE AT 1ST IUD"

NUM(3.0)

OS70D. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] began using an IUD (intrauterine device) for the first time?

| Count | %     | Value/Range | Code  | Value/Range | Text             |
|-------|-------|-------------|---|-------------|------------------|
| 104   | 1.13  | 15 - 120    |   |             | Age at first IUD |
| 1     | .01   | 998         | DK  |             |                  |
| 3     | .03   | 999         | NA; refused   |             |                  |
| 9,056 | 98.82 | 0           | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023 |             |                  |

## PGINT25 "OS70D MO OF 1ST IUD"

NUM(2.0)

OS70D. In what month did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) for the first time?

| Count | %   | Value/Range | Code     | Value/Range | Text |
|-------|-----|-------------|----------|-------------|------|
| 27    | .29 | 1           | January  |             |      |
| 19    | .21 | 2           | February |             |      |
| 14    | .15 | 3           | March    |             |      |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| 19    | .21   | 4  | April   |
| 19    | .21   | 5  | May   |
| 26    | .28   | 6  | June  |
| 13    | .14   | 7  | July  |
| 23    | .25   | 8  | August  |
| 16    | .17   | 9  | September   |
| 19    | .21   | 10 | October   |
| 23    | .25   | 11 | November  |
| 9     | .10   | 12 | December  |
| 11    | .12   | 21 | Winter  |
| 13    | .14   | 22 | Spring  |
| 4     | .04   | 23 | Summer  |
| 1     | .01   | 24 | Fall; Autumn  |
| 5     | .05   | 98 | DK  |
| 61    | .67   | 99 | NA; refused   |
| 8,842 | 96.49 | 0  | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023 |

## PGINT26 "OS70D YR OF 1ST IUD"

NUM(4.0)

OS70D. In what year did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) for the first time?

| Count | %     | Value/Range   | Code Value/Range Text   |
|-------|-------|---------------|---|
| 255   | 2.78  | 1,901 - 2,023 | Actual year   |
| -     | -     | 9,998         | DK  |
| 67    | .73   | 9,999         | NA; refused   |
| 8,842 | 96.49 | 0             | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023 |

## PGINT27 "OS70E AGE AT MOST RECENT IUD"

NUM(3.0)

OS70E. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] began using an IUD (intrauterine device) most recently?

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|------------------------|
| 57    | .62 | 15 - 120    | Age at most recent IUD |

Pregnancy Intentions File 2013-2023

|       |       |     |   |
|-------|-------|-----|---|
| 33    | .36   | 992 | Age when first received IUD   |
| 1     | .01   | 998 | DK  |
| 1     | .01   | 999 | NA; refused   |
| 9,072 | 99.00 | 0   | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023 |

**PGINT28 "OS70E MO OF MOST RECENT IUD"**

**NUM(2.0)**

OS70E. In what month did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) most recently?

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 24    | .26   | 1           | January   |
| 8     | .09   | 2           | February  |
| 11    | .12   | 3           | March   |
| 16    | .17   | 4           | April   |
| 14    | .15   | 5           | May   |
| 17    | .19   | 6           | June  |
| 10    | .11   | 7           | July  |
| 12    | .13   | 8           | August  |
| 11    | .12   | 9           | September   |
| 11    | .12   | 10          | October   |
| 20    | .22   | 11          | November  |
| 6     | .07   | 12          | December  |
| 4     | .04   | 21          | Winter  |
| 5     | .05   | 22          | Spring  |
| 5     | .05   | 23          | Summer  |
| 4     | .04   | 24          | Fall; Autumn  |
| 92    | 1.00  | 93          | When first received IUD   |
| 3     | .03   | 98          | DK  |
| 48    | .52   | 99          | NA; refused   |
| 8,843 | 96.50 | 0           | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023 |

**Pregnancy Intentions File 2013-2023**

**PGINT29 "OS70E YR OF MOST RECENT IUD"**

**NUM(4.0)**

OS70E. In what year did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) most recently?

| Count | %     | Value/Range   | Code Value/Range Text  |
|-------|-------|---------------|--|
| 178   | 1.94  | 1,901 - 2,023 | Actual year  |
| -     | -     | 9,998         | DK   |
| 51    | .56   | 9,999         | NA; refused  |
| 8,935 | 97.50 | 0             | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); month reported most recently used an IUD is when first received an IUD (PGINT28=93); the year of the report (PGINT4) is prior to 2023 |

**PGINT30 "OS70F AGE AT 1ST INJECTION"**

**NUM(3.0)**

OS70F. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Depo-Provera shot or other contraceptive injection for the first time?

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 19    | .21   | 15 - 120    | Age at first Depo-Provera shot or other contraceptive injection   |
| -     | -     | 998         | DK  |
| -     | -     | 999         | NA; refused   |
| 9,145 | 99.79 | 0           | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023 |

**PGINT31 "OS70F MO OF 1ST INJECTION"**

**NUM(2.0)**

OS70F. In what month did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection for the first time?

| Count | %   | Value/Range | Code Value/Range Text |
|-------|-----|-------------|-----------------------|
| 7     | .08 | 1           | January               |
| 4     | .04 | 2           | February              |
| 4     | .04 | 3           | March                 |
| 3     | .03 | 4           | April                 |
| 1     | .01 | 5           | May                   |
| 2     | .02 | 6           | June                  |
| 2     | .02 | 7           | July                  |

**Pregnancy Intentions File 2013-2023**

|       |       |    |   |
|-------|-------|----|---|
| 2     | .02   | 8  | August  |
| -     | -     | 9  | September   |
| 2     | .02   | 10 | October   |
| 1     | .01   | 11 | November  |
| 2     | .02   | 12 | December  |
| 2     | .02   | 21 | Winter  |
| -     | -     | 22 | Spring  |
| 1     | .01   | 23 | Summer  |
| -     | -     | 24 | Fall; Autumn  |
| 2     | .02   | 98 | DK  |
| 11    | .12   | 99 | NA; refused   |
| 9,118 | 99.50 | 0  | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023 |

**PGINT32 "OS70F YR OF 1ST INJECTION"**

**NUM(4.0)**

OS70F. In what year did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection for the first time?

| Count | %     | Value/Range   | Code Value/Range Text   |
|-------|-------|---------------|---|
| 33    | .36   | 1,901 - 2,023 | Actual year   |
| -     | -     | 9,998         | DK  |
| 13    | .14   | 9,999         | NA; refused   |
| 9,118 | 99.50 | 0             | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023 |

**PGINT33 "OS70G AGE AT MOST RECENT INJECTION"**

**NUM(3.0)**

OS70G. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Depo-Provera shot or other contraceptive injection most recently?

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|--|
| 6     | .07 | 15 - 120    | Age at most recent Depo-Provera shot or other contraceptive injection      |
| 1     | .01 | 992         | Age when first received Depo-Provera shot or other contraceptive injection |
| -     | -   | 998         | DK   |

**Pregnancy Intentions File 2013-2023**

|       |       |   |
|-------|-------|---|
| 2     | .02   | 999 NA; refused   |
| 9,155 | 99.90 | 0 Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023 |

**PGINT34 "OS70G MO OF MOST RECENT INJECTION"**

**NUM(2.0)**

OS70G. In what month did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection most recently?

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 3     | .03   | 1           | January   |
| 4     | .04   | 2           | February  |
| 4     | .04   | 3           | March   |
| 5     | .05   | 4           | April   |
| 11    | .12   | 5           | May   |
| 4     | .04   | 6           | June  |
| 4     | .04   | 7           | July  |
| 1     | .01   | 8           | August  |
| 2     | .02   | 9           | September   |
| 4     | .04   | 10          | October   |
| -     | -     | 11          | November  |
| 2     | .02   | 12          | December  |
| 2     | .02   | 21          | Winter  |
| -     | -     | 22          | Spring  |
| -     | -     | 23          | Summer  |
| -     | -     | 24          | Fall; Autumn  |
| 1     | .01   | 93          | When first received Depo-Provera shot or other contraceptive injection  |
| 1     | .01   | 98          | DK  |
| 8     | .09   | 99          | NA; refused   |
| 9,108 | 99.39 | 0           | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023 |



**Pregnancy Intentions File 2013-2023**

**PGINT35 "OS70G YR OF MOST RECENT INJECTION"**

**NUM(4.0)**

OS70G. In what year did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection most recently?

| Count | %     | Value/Range   | Code        | Value/Range | Text   |
|-------|-------|---------------|-------------|-------------|--|
| 46    | .50   | 1,901 - 2,023 |             |             | Actual year  |
| -     | -     | 9,998         | DK          |             |  |
| 9     | .10   | 9,999         | NA; refused |             |  |
| 9,109 | 99.40 | 0             | Inap.:      |             | reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); month reported most recently used a Depo-Provera shot or other contraceptive injection is when first received a contraceptive injection (PGINT34=93); the year of the report (PGINT4) is prior to 2023 |

**PGINT36 "OS70H AGE AT 1ST HORMONAL IMPLANT"**

**NUM(3.0)**

OS70H. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Norplant or other hormonal implant for the first time?

| Count | %     | Value/Range | Code        | Value/Range | Text  |
|-------|-------|-------------|-------------|-------------|---|
| 17    | .19   | 15 - 120    |             |             | Age at first Norplant or other hormonal implant   |
| -     | -     | 998         | DK          |             |   |
| 7     | .08   | 999         | NA; refused |             |   |
| 9,140 | 99.74 | 0           | Inap.:      |             | reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); the year of the report (PGINT4) is prior to 2023 |

**PGINT37 "OS70H MO OF 1ST HORMONAL IMPLANT"**

**NUM(2.0)**

OS70H: In what month did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant for the first time?

| Count | %   | Value/Range | Code     | Value/Range | Text |
|-------|-----|-------------|----------|-------------|------|
| 4     | .04 | 1           | January  |             |      |
| 5     | .05 | 2           | February |             |      |
| 4     | .04 | 3           | March    |             |      |
| 4     | .04 | 4           | April    |             |      |
| 4     | .04 | 5           | May      |             |      |
| 2     | .02 | 6           | June     |             |      |

**Pregnancy Intentions File 2013-2023**

|       |       |    |   |
|-------|-------|----|---|
| 1     | .01   | 7  | July  |
| 8     | .09   | 8  | August  |
| 3     | .03   | 9  | September   |
| 4     | .04   | 10 | October   |
| 1     | .01   | 11 | November  |
| 3     | .03   | 12 | December  |
| -     | -     | 21 | Winter  |
| 2     | .02   | 22 | Spring  |
| 3     | .03   | 23 | Summer  |
| 1     | .01   | 24 | Fall; Autumn  |
| 1     | .01   | 98 | DK  |
| 19    | .21   | 99 | NA; refused   |
| 9,095 | 99.25 | 0  | Inap.: reporter or spouse/partner has not used<br>contraception in the last three months (PGINT12=5) or is<br>unsure/refuses to say whether has used contraception in<br>the last three months (PGINT12=8 or 9); individual never<br>received a Norplant or other hormonal implant (PGINT13-<br>PGINT17 ne 10); the year of the report (PGINT4) is prior<br>to 2023 |

**PGINT38 "OS70H YR OF 1ST HORMONAL IMPLANT"**

**NUM(4.0)**

OS70H: In what year did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant for the first time?

| Count | %     | Value/Range   | Code  | Value/Range | Text |
|-------|-------|---------------|---|-------------|------|
| 49    | .53   | 1,901 - 2,023 | Actual  | year        |      |
| -     | -     | 9,998         | DK  |             |      |
| 20    | .22   | 9,999         | NA; refused   |             |      |
| 9,095 | 99.25 | 0             | Inap.: reporter or spouse/partner has not used<br>contraception in the last three months (PGINT12=5) or is<br>unsure/refuses to say whether has used contraception in<br>the last three months (PGINT12=8 or 9); individual never<br>received a Norplant or other hormonal implant (PGINT13-<br>PGINT17 ne 10); the year of the report (PGINT4) is prior<br>to 2023 |             |      |

**PGINT39 "OS70J AGE AT MOST RECENT HORMNAL IMPLANT"**

**NUM(3.0)**

OS70J. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Norplant or other hormonal implant most recently?

| Count | %   | Value/Range | Code                    | Value/Range                           | Text |
|-------|-----|-------------|-------------------------|---------------------------------------|------|
| 15    | .16 | 15 - 120    | Age at most recent      | Norplant or other hormonal implant    |      |
| 1     | .01 | 992         | Age when first received | Norplant or other hormonal<br>implant |      |
| -     | -   | 998         | DK                      |                                       |      |

**Pregnancy Intentions File 2013-2023**

|       |       |   |
|-------|-------|---|
| 3     | .03   | 999 NA; refused   |
| 9,145 | 99.79 | 0 Inap.: reporter or spouse/partner has not used<br>contraception in the last three months (PGINT12=5) or is<br>unsure/refuses to say whether has used contraception in<br>the last three months (PGINT12=8 or 9); individual never<br>received a Norplant or other hormonal implant (PGINT13-<br>PGINT17 ne 10); the year of the report (PGINT4) is prior<br>to 2023 |

**PGINT40 "OS70J MO OF MOST RECENT HORMNAL IMPLANT"**

**NUM(2.0)**

OS70J: In what month did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant most recently?

| Count | %     | Value/Range | Code Value/Range Text   |
|-------|-------|-------------|---|
| 4     | .04   | 1           | January   |
| 4     | .04   | 2           | February  |
| 3     | .03   | 3           | March   |
| 3     | .03   | 4           | April   |
| 3     | .03   | 5           | May   |
| 3     | .03   | 6           | June  |
| 3     | .03   | 7           | July  |
| 7     | .08   | 8           | August  |
| 1     | .01   | 9           | September   |
| 5     | .05   | 10          | October   |
| 1     | .01   | 11          | November  |
| 2     | .02   | 12          | December  |
| -     | -     | 21          | Winter  |
| 2     | .02   | 22          | Spring  |
| -     | -     | 23          | Summer  |
| -     | -     | 24          | Fall; Autumn  |
| 11    | .12   | 93          | When first received a Norplant or other hormonal implant  |
| -     | -     | 98          | DK  |
| 11    | .12   | 99          | NA; refused   |
| 9,101 | 99.31 | 0           | Inap.: reporter or spouse/partner has not used<br>contraception in the last three months (PGINT12=5) or is<br>unsure/refuses to say whether has used contraception in<br>the last three months (PGINT12=8 or 9); individual never<br>received a Norplant or other hormonal implant (PGINT13-<br>PGINT17 ne 10); the year of the report (PGINT4) is prior<br>to 2023 |

**Pregnancy Intentions File 2013-2023**

**PGINT41 "OS70J YR OF MOST RECENT HORMNAL IMPLANT"**

**NUM(4.0)**

OS70J: In what year did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant most recently?

| Count | %     | Value/Range   | Code Value/Range Text   |
|-------|-------|---------------|---|
| 41    | .45   | 1,901 - 2,023 | Actual year   |
| -     | -     | 9,998         | DK  |
| 11    | .12   | 9,999         | NA; refused   |
| 9,112 | 99.43 | 0             | Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); month reported most recently used a Norplant or other hormonal implant is when first received hormonal implant (PGINT40=93); the year of the report (PGINT4) is prior to 2023 |

**PGINT42 "OS70K WHY NO CONTRACEPTION MEN1"**

**NUM(2.0)**

OS70K. What is the reason you are not using any contraception method--FIRST MENTION

| Count | %     | Value/Range | Code Value/Range Text  |
|-------|-------|-------------|--|
| 757   | 8.26  | 1           | Reporter does not expect to have sex at all  |
| 600   | 6.55  | 2           | Reporter does not have sex very often  |
| 233   | 2.54  | 3           | Reporter does not think they can [R=Female: become pregnant / R=Male: have children]                                 |
| 500   | 5.46  | 4           | Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]                         |
| 223   | 2.43  | 5           | Reporter is worried about the side effects of birth control  |
| 16    | .17   | 6           | Reporter could not get any contraception or preferred contraception  |
| 16    | .17   | 7           | Other  |
| 89    | .97   | 8           | Reporter forgets to use it or doesn't use it all the time  |
| 237   | 2.59  | 9           | Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]                   |
| 52    | .57   | 10          | Reporter is post-menopausal/ Partner is post-menopausal  |
| 63    | .69   | 11          | Reporter in a same-sex relationship  |
| 77    | .84   | 12          | Reporter does not want to  |
| 56    | .61   | 98          | DK   |
| 695   | 7.58  | 99          | NA; refused  |
| 5,550 | 60.56 | 0           | Inap.: has used contraception in the last three months (PGINT12=1); the year of the report (PGINT4) is prior to 2023 |

# Pregnancy Intentions File 2013-2023

## PGINT43 "OS70K WHY NO CONTRACEPTION MEN2"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--SECOND MENTION

| Count | %     | Value/Range | Code Value/Range Text  |
|-------|-------|-------------|--|
| 29    | .32   | 1           | Reporter does not expect to have sex at all  |
| 70    | .76   | 2           | Reporter does not have sex very often  |
| 34    | .37   | 3           | Reporter does not think they can [R=Female: become pregnant / R=Male: have children]   |
| 34    | .37   | 4           | Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]   |
| 44    | .48   | 5           | Reporter is worried about the side effects of birth control  |
| 3     | .03   | 6           | Reporter could not get any contraception or preferred contraception  |
| -     | -     | 7           | Other  |
| 15    | .16   | 8           | Reporter forgets to use it or doesn't use it all the time  |
| 20    | .22   | 9           | Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]   |
| 1     | .01   | 10          | Reporter is post-menopausal/ Partner is post-menopausal  |
| 2     | .02   | 11          | Reporter in a same-sex relationship  |
| -     | -     | 12          | Reporter does not want to  |
| 8,912 | 97.25 | 0           | Inap.: no second mention; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023 |

## PGINT44 "OS70K WHY NO CONTRACEPTION MEN3"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--THIRD MENTION

| Count | %   | Value/Range | Code Value/Range Text  |
|-------|-----|-------------|--|
| 1     | .01 | 1           | Reporter does not expect to have sex at all  |
| 4     | .04 | 2           | Reporter does not have sex very often  |
| 8     | .09 | 3           | Reporter does not think they can [R=Female: become pregnant / R=Male: have children]         |
| 9     | .10 | 4           | Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children] |
| 11    | .12 | 5           | Reporter is worried about the side effects of birth control                                  |
| 3     | .03 | 6           | Reporter could not get any contraception or preferred contraception                          |
| -     | -   | 7           | Other  |
| 6     | .07 | 8           | Reporter forgets to use it or doesn't use it all the time                                    |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| 8     | .09   | 9  | Reporter was told by a doctor that they cannot<br>[R=Female: become pregnant / R=Male: have children]   |
| -     | -     | 10 | Reporter is post-menopausal/ Partner is post-menopausal   |
| 2     | .02   | 11 | Reporter in a same-sex relationship   |
| -     | -     | 12 | Reporter does not want to   |
| 9,112 | 99.43 | 0  | Inap.: fewer than three mentions; has used contraception<br>in the last three months (PGINT12=1); DK, NA, or RF first<br>mention for reason of no contraception (PGINT42=98 or<br>99); the year of the report (PGINT4) is prior to 2023 |

## PGINT45 "OS70K WHY NO CONTRACEPTION MEN4"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--FOURTH MENTION

| Count | %     | Value/Range | Code Value/Range Text  |
|-------|-------|-------------|--|
| -     | -     | 1           | Reporter does not expect to have sex at all  |
| -     | -     | 2           | Reporter does not have sex very often  |
| 1     | .01   | 3           | Reporter does not think they can [R=Female: become<br>pregnant / R=Male: have children]  |
| 2     | .02   | 4           | Reporter doesn't really mind or wants to [R=Female:<br>become pregnant / R=Male: have children]  |
| 1     | .01   | 5           | Reporter is worried about the side effects of birth<br>control   |
| -     | -     | 6           | Reporter could not get any contraception or preferred<br>contraception   |
| -     | -     | 7           | Other  |
| 4     | .04   | 8           | Reporter forgets to use it or doesn't use it all the time  |
| 1     | .01   | 9           | Reporter was told by a doctor that they cannot<br>[R=Female: become pregnant / R=Male: have children]  |
| 1     | .01   | 10          | Reporter is post-menopausal/ Partner is post-menopausal  |
| -     | -     | 11          | Reporter In a same-sex relationship  |
| -     | -     | 12          | Reporter does not want to  |
| 9,154 | 99.89 | 0           | Inap.: fewer than four mentions; has used contraception<br>in the last three months (PGINT12=1); DK, NA, or RF first<br>mention for reason of no contraception (PGINT42=98 or<br>99); the year of the report (PGINT4) is prior to 2023 |

## PGINT46 "OS70K WHY NO CONTRACEPTION MEN5"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--FIFTH MENTION

| Count | % | Value/Range | Code Value/Range Text   |
|-------|---|-------------|---|
| -     | - | 1           | Reporter does not expect to have sex at all   |
| -     | - | 2           | Reporter does not have sex very often   |
| -     | - | 3           | Reporter does not think they can [R=Female: become<br>pregnant / R=Male: have children] |

# Pregnancy Intentions File 2013-2023

|       |       |    |   |
|-------|-------|----|---|
| -     | -     | 4  | Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]  |
| -     | -     | 5  | Reporter is worried about the side effects of birth control   |
| -     | -     | 6  | Reporter could not get any contraception or preferred contraception   |
| -     | -     | 7  | Other   |
| -     | -     | 8  | Reporter forgets to use it or doesn't use it all the time   |
| 1     | .01   | 9  | Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]  |
| -     | -     | 10 | Reporter is post-menopausal/ Partner is post-menopausal   |
| -     | -     | 11 | Reporter in a same-sex relationship   |
| -     | -     | 12 | Reporter does not want to   |
| 9,163 | 99.99 | 0  | Inap.: fewer than five mentions; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023 |