

**Pregnancy Intentions File 2013-
2023**

Codebook

Number of Variables

46

Pregnancy Intentions File 2013-2023

PGINT1 "RELEASE NUMBER" NUM(1.0)
 Release Number

For Release 2, we have not made any changes to Pregnancy Intentions file but updated the release number to synchronize with Release 2 of the Child Birth and Adoption History file.

Count	%	Value/Range	Code Value/Range Text
-	-		1 Release number 1, May 2025
9,164	100.00		2 Release number 2, December 2025

PGINT2 "1968 INTERVIEW NUMBER" NUM(4.0)
 1968 Interview Number (1968 ID Number)

This variable is the 1968 family ID number. The combination of this variable and Person Number (PGINT3) provides unique identification for each individual on the data file. This variable corresponds to ER30001 on the Cross Year Individual File.

Count	%	Value/Range	Code Value/Range Text
4,788	52.25	1 - 2,930	Member of, or moved into, a family from the 1968 SRC cross-section sample
693	7.56	3,001 - 3,511	Member of, or moved into, a family from the Immigrant sample added in 1997 and 1999. Values of 3001-3441 indicate families first interviewed in 1997; values of 3442-3511 indicate families not interviewed until 1999.
469	5.12	4,001 - 4,851	Member of, or moved into, a family from the Immigrant sample added in 2017.
3,214	35.07	5,001 - 6,872	Member of, or moved into, a family from the 1968 Census sample

PGINT3 "PERSON NUMBER 68" NUM(3.0)
 Person Number

This variable is the Person Number. The combination of this variable and 1968 Interview Number (PGINT2) provides unique identification for each individual on the data file. This variable corresponds to ER30002 on the Cross Year Individual File.

Count	%	Value/Range	Code Value/Range Text
9,164	100.00	1 - 399	Person Number

PGINT4 "YEAR OF PREGNANCY INTENTION REPORT" NUM(4.0)
 Year of this report

In combination with 68 Family Identification Number (PGINT2) and Person Number (PGINT3), year of the report (PGINT4) provides the primary key for the Pregnancy Intentions File. An individual may have more than one record on this file but only one per a given wave.

Count	%	Value/Range	Code Value/Range Text
747	8.15	2,013	This report is from 2013
724	7.90	2,015	This report is from 2015

Pregnancy Intentions File 2013-2023

774	8.45	2,017	This report is from 2017
662	7.22	2,019	This report is from 2019
618	6.74	2,021	This report is from 2021
5,639	61.53	2,023	This report is from 2023

PGINT5 "WTR REPORTER IS MALE OR FEMALE" NUM(1.0)

Whether the reporter is the male or female.

Count	%	Value/Range	Code Value/Range Text
4,088	44.61	1	Respondent is the male
5,076	55.39	2	Respondent is the female

PGINT6 "OS64CKPT WTR R NEWBRN PARNT; RP/SP 15-44" NUM(1.0)

Whether the reporter is the parent of any newborn for this Family Unit or if any reference person or a spouse between 15-44 years old

Count	%	Value/Range	Code Value/Range Text
4,102	44.76	1	Reporter is parent of a newborn
5,062	55.24	2	Reporter is reference person or spouse and is eligible to be asked the birth history section (is 15-44 years old if Female), is not a parent of a newborn, and the year of the report is from 2023 or later

PGINT7 "OS64 WTR R WANTS ANOTHER CHILD" NUM(1.0)

OS64. Looking to the future, do you yourself want another (baby/child) at some time in the future?

IF needed: Other than your children already born.

Count	%	Value/Range	Code Value/Range Text
3,586	39.13	1	Yes
4,701	51.30	5	No
608	6.63	7	Unable to have children or more children
129	1.41	8	Don't know
140	1.53	9	NA; refused

PGINT8 "OS65 WTR R WANTS/NOT WANT ANOTHER CHLD" NUM(1.0)

OS65. Do you think you probably want or probably do not want to have another (baby/child) at some time in the future?

If R insists: Don't know/not sure

Count	%	Value/Range	Code Value/Range Text
65	.71	1	Probably want
47	.51	2	Probably do not want
41	.45	8	Don't know
116	1.27	9	NA; refused

Pregnancy Intentions File 2013-2023

8,895 97.06 0 Inap.: OS64 was response (PGINT7 ne 8 or 9)

PGINT9 "OS66CKPT WTR CURRENT PARTNER" NUM(1.0)

Whether the respondent has a current spouse/partner/boyfriend/girlfriend in the Family Unit

Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.

Count	%	Value/Range	Code Value/Range Text
5,258	57.38	1	Current spouse/ partner/girlfriend/boyfriend in the FU
3,906	42.62	5	No spouse or partner in the FU

PGINT10 "OS66 WTR PARTNER WANTS ANOTHER CHLD" NUM(1.0)

OS66. Looking to the future, does [R's Spouse/Partner/Boyfriend/Girlfriend] want a (child/baby) or another (child/baby) at some time?

Would you say definitely yes, probably yes, probably no or definitely no?

Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.

Count	%	Value/Range	Code Value/Range Text
1,517	16.55	1	Definitely yes
785	8.57	2	Probably yes
728	7.94	3	Probably no
2,101	22.93	4	Definitely no
43	.47	8	Don't know
87	.95	9	NA; refused
3,903	42.59	0	Inap.: No spouse or partner in the FU (PGINT9=5)

PGINT11 "OS70 HOW MANY MORE CHILDREN INTENDED" NUM(2.0)

OS70. Altogether, how many more (babies/children) do you (and CURRENT SPOUSE/PARTNER/BOYFRIEND/GIRLFRIEND) intend to have?

Please note as of 2017 wave Boyfriends and Girlfriends were included in other parent categories for this series.

For waves 2013-2015 OS70 was asked of everyone, as of 2017 forward this question is not asked for those who do not want or cannot have more children.

Count	%	Value/Range	Code Value/Range Text
3,837	41.87	1 - 15	Number of children intended
4	.04	16	Sixteen or more children intended

Pregnancy Intentions File 2013-2023

1,174	12.81	95	None
96	1.05	98	Don't know
172	1.88	99	NA; refused
3,881	42.35	0	Inap.: Respondent and/or Spouse/Partner does not want or cannot have more children (PGINT7=5,7) or (PGINT9=1 and PGINT10=4)

PGINT12 "OS70A WTR CONTRACEPTION LAST 3 MOS" NUM(1.0)

OS70A. Have you used any method of contraception in the last three months?

Count	%	Value/Range	Code Value/Range Text
2,044	22.30	1	Yes
3,484	38.02	5	No
5	.05	8	Don't know
106	1.16	9	NA; refused
3,525	38.47	0	Inap.: the year of the report (PGINT4) is prior to 2023

PGINT13 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN1" NUM(2.0)

OS70B.What method(s) of contraception have you used in the last three months?--FIRST MENTION

Count	%	Value/Range	Code Value/Range Text
521	5.69	1	Condom or female condom
99	1.08	2	Withdrawal (pulling out)
7	.08	3	Fertility awareness based methods (Rhythm)
3	.03	4	Spermicide (foam, gel, jelly, cream, sponge, or suppositories)
-	-	5	Diaphragm (with or without gel)
365	3.98	6	IUD (intrauterine device)
4	.04	7	Emergency contraception (Morning after pill, Plan B)
302	3.30	8	Birth control pills
50	.55	9	Depo-Provera or injectables
78	.85	10	Norplant or implant
25	.27	11	Patch (Ortho Evra) or ring (Nuvaring)
-	-	12	Cap (Femcap) or shield (Lea's shield)
259	2.83	13	Vasectomy
257	2.80	14	Tubal ligation
4	.04	15	Other
25	.27	97	None
8	.09	98	DK
38	.41	99	NA; refused

Pregnancy Intentions File 2013-2023

7,119 77.68

0 Inap.: has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF; whether has used any method of contraception in the last three months (PGINT12=8 or 9); the year of the report (PGINT4) is prior to 2023

PGINT14 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN2" NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--SECOND MENTION

Count	%	Value/Range	Code	Value/Range	Text
30	.33	1	1	Condom or female condom	
118	1.29	2	2	Withdrawal (pulling out)	
13	.14	3	3	Fertility awareness based methods (Rhythm)	
3	.03	4	4	Spermicide (foam, gel, jelly, cream, sponge, or suppositories)	
-	-	5	5	Diaphragm (with or without gel)	
35	.38	6	6	IUD (intrauterine device)	
15	.16	7	7	Emergency contraception (Morning after pill, Plan B)	
69	.75	8	8	Birth control pills	
9	.10	9	9	Depo-Provera or injectables	
5	.05	10	10	Norplant or implant	
8	.09	11	11	Patch (Ortho Evra) or ring (Nuvaring)	
-	-	12	12	Cap (Femcap) or shield (Lea's shield)	
24	.26	13	13	Vasectomy	
18	.20	14	14	Tubal ligation	
1	.01	15	15	Other	
8,816	96.20	0	0	Inap.: no second mention; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023	

PGINT15 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN3" NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--THIRD MENTION

Count	%	Value/Range	Code	Value/Range	Text
3	.03	1	1	Condom or female condom	
6	.07	2	2	Withdrawal (pulling out)	
13	.14	3	3	Fertility awareness based methods (Rhythm)	
3	.03	4	4	Spermicide (foam, gel, jelly, cream, sponge, or suppositories)	

Pregnancy Intentions File 2013-2023

-	-	5	Diaphragm (with or without gel)
5	.05	6	IUD (intrauterine device)
14	.15	7	Emergency contraception (Morning after pill, Plan B)
28	.31	8	Birth control pills
2	.02	9	Depo-Provera or injectables
1	.01	10	Norplant or implant
1	.01	11	Patch (Ortho Evra) or ring (Nuvaring)
-	-	12	Cap (Femcap) or shiled (Lea's shield)
4	.04	13	Vasectomy
1	.01	14	Tubal ligation
-	-	15	Other
9,083	99.12	0	Inap.: fewer than three mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT16 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN4" NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--FOURTH MENTION

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
1	.01	1	1	Condom or female condom	
-	-	2	2	Withdrawal (pulling out)	
-	-	3	3	Fertility awareness based methods (Rhythm)	
3	.03	4	4	Spermicide (foam, gel, jelly, cream, sponge, or suppositories)	
-	-	5	5	Diaphragm (with or without gel)	
-	-	6	6	IUD (intrauterine device)	
4	.04	7	7	Emergency contraception (Morning after pill, Plan B)	
4	.04	8	8	Birth control pills	
-	-	9	9	Depo-Provera or injectables	
-	-	10	10	Norplant or implant	
2	.02	11	11	Patch (Ortho Evra) or ring (Nuvaring)	
-	-	12	12	Cap (Femcap) or shiled (Lea's shield)	
-	-	13	13	Vasectomy	
-	-	14	14	Tubal ligation	
-	-	15	15	Other	

Pregnancy Intentions File 2013-2023

9,150 99.85 0 Inap.: fewer than four mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT17 "OS70B TYPE CONTRACEPTION LAST 3 MOS MEN5" NUM(2.0)

OS70B. What method(s) of contraception have you used in the last three months?--FIFTH MENTION

Count	%	Value/Range	Code	Value/Range	Text
-	-		1		Condom or female condom
-	-		2		Withdrawal (pulling out)
-	-		3		Fertility awareness based methods (Rhythm)
1	.01		4		Spermicide (foam, gel, jelly, cream, sponge, or suppositories)
-	-		5		Diaphragm (with or without gel)
-	-		6		IUD (intrauterine device)
2	.02		7		Emergency contraception (Morning after pill, Plan B)
1	.01		8		Birth control pills
1	.01		9		Depo-Provera or injectables
-	-		10		Norplant or implant
-	-		11		Patch (Ortho Evra) or ring (Nuvaring)
-	-		12		Cap (Femcap) or shield (Lea's shield)
-	-		13		Vasectomy
-	-		14		Tubal ligation
-	-		15		Other

9,159 99.95 0 Inap.: fewer than five mentions; has not used any method of contraception in the last three months (PGINT12=5); DK, NA, or RF whether has used any method of contraception in the last three months (PGINT12=8 or 9); DK, NA, or RF first mention for type of contraception (PGINT13=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT18 "OS70C1 AGE YOU/PARTNER HAD VASECTOMY" NUM(3.0)

OS70C1. How old [FEMALE: was your partner / MALE: were you] when [FEMALE: your partner / MALE: you] had a vasectomy?

Count	%	Value/Range	Code	Value/Range	Text
30	.33	15 - 120	Age at vasectomy		
-	-	998	DK		

Pregnancy Intentions File 2013-2023

165 1.80 999 NA; refused
 8,969 97.87 0 Inap.: reporter or spouse/partner has not used
 contraception in the last three months (PGINT12=5) or is
 unsure/refuses to say whether has used contraception in
 the last three months (PGINT12=8 or 9); individual never
 had a vasectomy (PGINT13-PGINT17 ne 13); the year of the
 report (PGINT4) is prior to 2023

PGINT19 "OS70C1 MO OF VASECTOMY" NUM(2.0)
 OS70C1. In what month did [FEMALE: your partner / MALE: you] have a vasectomy?

Count	%	Value/Range	Code	Value/Range	Text
3	.03	1		January	
4	.04	2		February	
9	.10	3		March	
7	.08	4		April	
3	.03	5		May	
6	.07	6		June	
4	.04	7		July	
8	.09	8		August	
5	.05	9		September	
8	.09	10		October	
8	.09	11		November	
6	.07	12		December	
4	.04	21		Winter	
4	.04	22		Spring	
2	.02	23		Summer	
3	.03	24		Fall; Autumn	
1	.01	98		DK	
178	1.94	99		NA; refused	
8,901	97.13	0		Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a vasectomy (PGINT13-PGINT17 ne 13); the year of the report (PGINT4) is prior to 2023	

PGINT20 "OS70C1 YR OF VASECTOMY" NUM(4.0)
 OS70C1. In what year did [FEMALE: your partner / MALE: you] have a vasectomy?

Count	%	Value/Range	Code	Value/Range	Text
84	.92	1,901 - 2,023		Actual year	
-	-	9,998		DK	

Pregnancy Intentions File 2013-2023

179 1.95 9,999 NA; refused
 8,901 97.13 0 Inap.: reporter or spouse/partner has not used
 contraception in the last three months (PGINT12=5) or is
 unsure/refuses to say whether has used contraception in
 the last three months (PGINT12=8 or 9); individual never
 had a vasectomy (PGINT13-PGINT17 ne 13); the year of the
 report (PGINT4) is prior to 2023

PGINT21 "OS70C2 AGE AT TUBAL LIGATION"

NUM(3.0)

OS70C2. How old [FEMALE: were you / MALE: your partner] when [FEMALE: you / MALE: your partner] had a tubal ligation?

Count	%	Value/Range	Code	Value/Range	Text
13	.14	15 - 120			Age at tubal ligation
-	-		998		DK
194	2.12		999		NA; refused
8,957	97.74		0		Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023

PGINT22 "OS70C2 MO OF TUBAL LIGATION"

NUM(2.0)

OS70C2. In what month did [FEMALE: you / MALE: your partner] have a tubal ligation?

Count	%	Value/Range	Code	Value/Range	Text
2	.02		1		January
3	.03		2		February
5	.05		3		March
3	.03		4		April
4	.04		5		May
4	.04		6		June
8	.09		7		July
5	.05		8		August
7	.08		9		September
11	.12		10		October
4	.04		11		November
2	.02		12		December
-	-		21		Winter
-	-		22		Spring
1	.01		23		Summer

Pregnancy Intentions File 2013-2023

-	-	24	Fall; Autumn
-	-	98	DK
197	2.15	99	NA; refused
8,908	97.21	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023

PGINT23 "OS70C2 YR OF TUBAL LIGATION"

NUM(4.0)

OS70C2. In what year did [FEMALE: you / MALE: your partner] have a tubal ligation?

Count	%	Value/Range	Code Value/Range Text
59	.64	1,901 - 2,023	Actual year
-	-	9,998	DK
197	2.15	9,999	NA; refused
8,908	97.21	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never had a tubal ligation (PGINT13-PGINT17 ne 14); the year of the report (PGINT4) is prior to 2023

PGINT24 "OS70D AGE AT 1ST IUD"

NUM(3.0)

OS70D. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] began using an IUD (intrauterine device) for the first time?

Count	%	Value/Range	Code Value/Range Text
104	1.13	15 - 120	Age at first IUD
1	.01	998	DK
3	.03	999	NA; refused
9,056	98.82	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023

PGINT25 "OS70D MO OF 1ST IUD"

NUM(2.0)

OS70D. In what month did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) for the first time?

Count	%	Value/Range	Code Value/Range Text
27	.29	1	January
19	.21	2	February
14	.15	3	March

Pregnancy Intentions File 2013-2023

19	.21	4	April
19	.21	5	May
26	.28	6	June
13	.14	7	July
23	.25	8	August
16	.17	9	September
19	.21	10	October
23	.25	11	November
9	.10	12	December
11	.12	21	Winter
13	.14	22	Spring
4	.04	23	Summer
1	.01	24	Fall; Autumn
5	.05	98	DK
61	.67	99	NA; refused
8,842	96.49	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023

PGINT26 "OS70D YR OF 1ST IUD"

NUM(4.0)

OS70D. In what year did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) for the first time?

Count	%	Value/Range	Code Value/Range Text
255	2.78	1,901 - 2,023	Actual year
-	-	9,998	DK
67	.73	9,999	NA; refused
8,842	96.49	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023

PGINT27 "OS70E AGE AT MOST RECENT IUD"

NUM(3.0)

OS70E. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] began using an IUD (intrauterine device) most recently?

Count	%	Value/Range	Code Value/Range Text
57	.62	15 - 120	Age at most recent IUD

Pregnancy Intentions File 2013-2023

33	.36	992	Age when first received IUD
1	.01	998	DK
1	.01	999	NA; refused
9,072	99.00	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023

PGINT28 "OS70E MO OF MOST RECENT IUD" NUM(2.0)
 OS70E. In what month did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) most recently?

Count	%	Value/Range	Code Value/Range Text
24	.26	1	January
8	.09	2	February
11	.12	3	March
16	.17	4	April
14	.15	5	May
17	.19	6	June
10	.11	7	July
12	.13	8	August
11	.12	9	September
11	.12	10	October
20	.22	11	November
6	.07	12	December
4	.04	21	Winter
5	.05	22	Spring
5	.05	23	Summer
4	.04	24	Fall; Autumn
92	1.00	93	When first received IUD
3	.03	98	DK
48	.52	99	NA; refused
8,843	96.50	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); the year of the report (PGINT4) is prior to 2023

Pregnancy Intentions File 2013-2023

PGINT29 "OS70E YR OF MOST RECENT IUD" NUM(4.0)

OS70E. In what year did [FEMALE: you / MALE: your partner] begin using an IUD (intrauterine device) most recently?

Count	%	Value/Range	Code Value/Range Text
178	1.94	1,901 - 2,023	Actual year
-	-	9,998	DK
51	.56	9,999	NA; refused
8,935	97.50	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never used an IUD (PGINT13-PGINT17 ne 6); month reported most recently used an IUD is when first received an IUD (PGINT28=93); the year of the report (PGINT4) is prior to 2023

PGINT30 "OS70F AGE AT 1ST INJECTION" NUM(3.0)

OS70F. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Depo-Provera shot or other contraceptive injection for the first time?

Count	%	Value/Range	Code Value/Range Text
19	.21	15 - 120	Age at first Depo-Provera shot or other contraceptive injection
-	-	998	DK
-	-	999	NA; refused
9,145	99.79	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023

PGINT31 "OS70F MO OF 1ST INJECTION" NUM(2.0)

OS70F. In what month did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection for the first time?

Count	%	Value/Range	Code Value/Range Text
7	.08	1	January
4	.04	2	February
4	.04	3	March
3	.03	4	April
1	.01	5	May
2	.02	6	June
2	.02	7	July

Pregnancy Intentions File 2013-2023

2	.02	8	August
-	-	9	September
2	.02	10	October
1	.01	11	November
2	.02	12	December
2	.02	21	Winter
-	-	22	Spring
1	.01	23	Summer
-	-	24	Fall; Autumn
2	.02	98	DK
11	.12	99	NA; refused
9,118	99.50	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023

PGINT32 "OS70F YR OF 1ST INJECTION"

NUM(4.0)

OS70F. In what year did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection for the first time?

Count	%	Value/Range	Code Value/Range Text
33	.36	1,901 - 2,023	Actual year
-	-	9,998	DK
13	.14	9,999	NA; refused
9,118	99.50	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023

PGINT33 "OS70G AGE AT MOST RECENT INJECTION"

NUM(3.0)

OS70G. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Depo-Provera shot or other contraceptive injection most recently?

Count	%	Value/Range	Code Value/Range Text
6	.07	15 - 120	Age at most recent Depo-Provera shot or other contraceptive injection
1	.01	992	Age when first received Depo-Provera shot or other contraceptive injection
-	-	998	DK

Pregnancy Intentions File 2013-2023

2	.02	999 NA; refused
9,155	99.90	0 Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023

PGINT34 "OS70G MO OF MOST RECENT INJECTION"

NUM(2.0)

OS70G. In what month did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection most recently?

Count	%	Value/Range	Code Value/Range Text
3	.03	1	January
4	.04	2	February
4	.04	3	March
5	.05	4	April
11	.12	5	May
4	.04	6	June
4	.04	7	July
1	.01	8	August
2	.02	9	September
4	.04	10	October
-	-	11	November
2	.02	12	December
2	.02	21	Winter
-	-	22	Spring
-	-	23	Summer
-	-	24	Fall; Autumn
1	.01	93	When first received Depo-Provera shot or other contraceptive injection
1	.01	98	DK
8	.09	99	NA; refused
9,108	99.39	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); the year of the report (PGINT4) is prior to 2023

Pregnancy Intentions File 2013-2023

PGINT35 "OS70G YR OF MOST RECENT INJECTION" NUM(4.0)

OS70G. In what year did [FEMALE: you / MALE: your partner] receive a Depo-Provera shot or other contraceptive injection most recently?

Count	%	Value/Range	Code	Value/Range	Text
46	.50	1,901 - 2,023			Actual year
-	-	9,998	DK		
9	.10	9,999			NA; refused
9,109	99.40	0			Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received Depo-Provera shot or other contraceptive injection (PGINT13-PGINT17 ne 9); month reported most recently used a Depo-Provera shot or other contraceptive injection is when first received a contraceptive injection (PGINT34=93); the year of the report (PGINT4) is prior to 2023

PGINT36 "OS70H AGE AT 1ST HORMONAL IMPLANT" NUM(3.0)

OS70H. How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Norplant or other hormonal implant for the first time?

Count	%	Value/Range	Code	Value/Range	Text
17	.19	15 - 120			Age at first Norplant or other hormonal implant
-	-	998	DK		
7	.08	999			NA; refused
9,140	99.74	0			Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); the year of the report (PGINT4) is prior to 2023

PGINT37 "OS70H MO OF 1ST HORMONAL IMPLANT" NUM(2.0)

OS70H: In what month did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant for the first time?

Count	%	Value/Range	Code	Value/Range	Text
4	.04	1			January
5	.05	2			February
4	.04	3			March
4	.04	4			April
4	.04	5			May
2	.02	6			June

Pregnancy Intentions File 2013-2023

1	.01	7	July
8	.09	8	August
3	.03	9	September
4	.04	10	October
1	.01	11	November
3	.03	12	December
-	-	21	Winter
2	.02	22	Spring
3	.03	23	Summer
1	.01	24	Fall; Autumn
1	.01	98	DK
19	.21	99	NA; refused
9,095	99.25	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); the year of the report (PGINT4) is prior to 2023

PGINT38 "OS70H YR OF 1ST HORMONAL IMPLANT" NUM(4.0)

OS70H: In what year did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant for the first time?

Count	%	Value/Range	Code	Value/Range	Text
49	.53	1,901 - 2,023	Actual	year	
-	-	9,998	DK		
20	.22	9,999	NA; refused		
9,095	99.25	0	Inap.:	reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); the year of the report (PGINT4) is prior to 2023	

PGINT39 "OS70J AGE AT MOST RECENT HORMONAL IMPLANT" NUM(3.0)

OS70J: How old [FEMALE: were you / MALE: was your partner] when [FEMALE: you / MALE: your partner] received a Norplant or other hormonal implant most recently?

Count	%	Value/Range	Code	Value/Range	Text
15	.16	15 - 120	Age at most recent	Norplant or other hormonal implant	
1	.01	992	Age when first received	Norplant or other hormonal implant	
-	-	998	DK		

Pregnancy Intentions File 2013-2023

3 .03 999 NA; refused
 9,145 99.79 0 Inap.: reporter or spouse/partner has not used
 contraception in the last three months (PGINT12=5) or is
 unsure/refuses to say whether has used contraception in
 the last three months (PGINT12=8 or 9); individual never
 received a Norplant or other hormonal implant (PGINT13-
 PGINT17 ne 10); the year of the report (PGINT4) is prior
 to 2023

PGINT40 "OS70J MO OF MOST RECENT HORMNAL IMPLANT" NUM(2.0)

OS70J: In what month did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant most recently?

Count	%	Value/Range	Code Value/Range Text
4	.04	1	January
4	.04	2	February
3	.03	3	March
3	.03	4	April
3	.03	5	May
3	.03	6	June
3	.03	7	July
7	.08	8	August
1	.01	9	September
5	.05	10	October
1	.01	11	November
2	.02	12	December
-	-	21	Winter
2	.02	22	Spring
-	-	23	Summer
-	-	24	Fall; Autumn
11	.12	93	When first received a Norplant or other hormonal implant
-	-	98	DK
11	.12	99	NA; refused
9,101	99.31	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13- PGINT17 ne 10); the year of the report (PGINT4) is prior to 2023

Pregnancy Intentions File 2013-2023

PGINT41 "OS70J YR OF MOST RECENT HORMNAL IMPLANT" NUM(4.0)

OS70J: In what year did [FEMALE: you / MALE: your partner] receive a Norplant or other hormonal implant most recently?

Count	%	Value/Range	Code Value/Range Text
41	.45	1,901 - 2,023	Actual year
-	-	9,998	DK
11	.12	9,999	NA; refused
9,112	99.43	0	Inap.: reporter or spouse/partner has not used contraception in the last three months (PGINT12=5) or is unsure/refuses to say whether has used contraception in the last three months (PGINT12=8 or 9); individual never received a Norplant or other hormonal implant (PGINT13-PGINT17 ne 10); month reported most recently used a Norplant or other hormonal implant is when first received hormonal implant (PGINT40=93); the year of the report (PGINT4) is prior to 2023

PGINT42 "OS70K WHY NO CONTRACEPTION MEN1" NUM(2.0)

OS70K. What is the reason you are not using any contraception method--FIRST MENTION

Count	%	Value/Range	Code Value/Range Text
757	8.26	1	Reporter does not expect to have sex at all
600	6.55	2	Reporter does not have sex very often
233	2.54	3	Reporter does not think they can [R=Female: become pregnant / R=Male: have children]
500	5.46	4	Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]
223	2.43	5	Reporter is worried about the side effects of birth control
16	.17	6	Reporter could not get any contraception or preferred contraception
16	.17	7	Other
89	.97	8	Reporter forgets to use it or doesn't use it all the time
237	2.59	9	Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]
52	.57	10	Reporter is post-menopausal/ Partner is post-menopausal
63	.69	11	Reporter in a same-sex relationship
77	.84	12	Reporter does not want to
56	.61	98	DK
695	7.58	99	NA; refused
5,550	60.56	0	Inap.: has used contraception in the last three months (PGINT12=1); the year of the report (PGINT4) is prior to 2023

Pregnancy Intentions File 2013-2023

PGINT43 "OS70K WHY NO CONTRACEPTION MEN2"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--SECOND MENTION

Count	%	Value/Range	Code Value/Range Text
29	.32		1 Reporter does not expect to have sex at all
70	.76		2 Reporter does not have sex very often
34	.37		3 Reporter does not think they can [R=Female: become pregnant / R=Male: have children]
34	.37		4 Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]
44	.48		5 Reporter is worried about the side effects of birth control
3	.03		6 Reporter could not get any contraception or preferred contraception
-	-		7 Other
15	.16		8 Reporter forgets to use it or doesn't use it all the time
20	.22		9 Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]
1	.01		10 Reporter is post-menopausal/ Partner is post-menopausal
2	.02		11 Reporter in a same-sex relationship
-	-		12 Reporter does not want to
8,912	97.25		0 Inap.: no second mention; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT44 "OS70K WHY NO CONTRACEPTION MEN3"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--THIRD MENTION

Count	%	Value/Range	Code Value/Range Text
1	.01		1 Reporter does not expect to have sex at all
4	.04		2 Reporter does not have sex very often
8	.09		3 Reporter does not think they can [R=Female: become pregnant / R=Male: have children]
9	.10		4 Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]
11	.12		5 Reporter is worried about the side effects of birth control
3	.03		6 Reporter could not get any contraception or preferred contraception
-	-		7 Other
6	.07		8 Reporter forgets to use it or doesn't use it all the time

Pregnancy Intentions File 2013-2023

8	.09	9 Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]
-	-	10 Reporter is post-menopausal/ Partner is post-menopausal
2	.02	11 Reporter in a same-sex relationship
-	-	12 Reporter does not want to
9,112	99.43	0 Inap.: fewer than three mentions; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT45 "OS70K WHY NO CONTRACEPTION MEN4"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--FOURTH MENTION

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
-	-		1		Reporter does not expect to have sex at all
-	-		2		Reporter does not have sex very often
1	.01		3		Reporter does not think they can [R=Female: become pregnant / R=Male: have children]
2	.02		4		Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]
1	.01		5		Reporter is worried about the side effects of birth control
-	-		6		Reporter could not get any contraception or preferred contraception
-	-		7		Other
4	.04		8		Reporter forgets to use it or doesn't use it all the time
1	.01		9		Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]
1	.01		10		Reporter is post-menopausal/ Partner is post-menopausal
-	-		11		Reporter In a same-sex relationship
-	-		12		Reporter does not want to
9,154	99.89		0		Inap.: fewer than four mentions; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023

PGINT46 "OS70K WHY NO CONTRACEPTION MEN5"

NUM(2.0)

OS70K. What is the reason you are not using any contraception method--FIFTH MENTION

<u>Count</u>	<u>%</u>	<u>Value/Range</u>	<u>Code</u>	<u>Value/Range</u>	<u>Text</u>
-	-		1		Reporter does not expect to have sex at all
-	-		2		Reporter does not have sex very often
-	-		3		Reporter does not think they can [R=Female: become pregnant / R=Male: have children]

Pregnancy Intentions File 2013-2023

-	-	4 Reporter doesn't really mind or wants to [R=Female: become pregnant / R=Male: have children]
-	-	5 Reporter is worried about the side effects of birth control
-	-	6 Reporter could not get any contraception or preferred contraception
-	-	7 Other
-	-	8 Reporter forgets to use it or doesn't use it all the time
1	.01	9 Reporter was told by a doctor that they cannot [R=Female: become pregnant / R=Male: have children]
-	-	10 Reporter is post-menopausal/ Partner is post-menopausal
-	-	11 Reporter in a same-sex relationship
-	-	12 Reporter does not want to
9,163	99.99	0 Inap.: fewer than five mentions; has used contraception in the last three months (PGINT12=1); DK, NA, or RF first mention for reason of no contraception (PGINT42=98 or 99); the year of the report (PGINT4) is prior to 2023